1 Identification

· Product identifier

· Trade name: Sangria Flavor Extract

· Article number: BAGJ / 19.3016

Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

OliveNation LLC 13 Robbie Road A4 Avon, MA 02322 USA 617-580-3667

· Information department: Regulatory Department

· Emergency telephone number:

During normal opening times: Call Chemtrec Day or Night

Domestic North America 800.424.9300/International 703.527.3887 (Collect calls accepted)

2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flammable Liquids 2 H225 Highly flammable liquid and vapor.



GHS08 Health hazard

Carcinogenicity 1A H350 May cause cancer.



GHS07

Sensitization - Skin 1 H317 May cause an allergic skin reaction.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms







GHS02

GHS07

· **Signal word** Danger

· Hazard-determining components of labeling:

ETHYL ALCOHOL Orange essence oil

ORANGE OIL

Lime oil

· Hazard statements

Highly flammable liquid and vapor.

May cause an allergic skin reaction.

(Contd. on page 2)

Trade name: Sangria Flavor Extract

(Contd. of page 1)

May cause cancer.

· Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Avoid breathing dust/fume/gas/mist/vapors/spray

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF exposed or concerned: Get medical advice/attention.

Specific treatment (see on this label).

If skin irritation or rash occurs: Get medical advice/attention.

Wash contaminated clothing before reuse.

In case of fire: Use CO2, powder or water spray to extinguish.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 0 Fire = 3Reactivity = 0

· HMIS-ratings (scale 0 - 4)



- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

	s components:	
	PROPYLENE GLYCOL	>25- <u><</u> 50%
	♦ Acute Toxicity - Oral 4, H302	
64-17-5	ETHYL ALCOHOL	>25- <u><</u> 50%
	♦ Flammable Liquids 2, H225; ♦ Carcinogenicity 1A, H350	
	Orange essence oil	≥0.1-<1%
	Flammable Liquids 3, H226; Aspiration Hazard 1, H304; Skin Irritation 2, H315; Sensitization - Skin 1, H317	

(Contd. on page 3)

Trade name: Sangria Flavor Extract

		(Contd. of page 2)
8008-57-9	ORANGE OIL	≥0.1-<1%
	♠ Flammable Liquids 3, H226; ♦ Aspiration Hazard 1, H304; ♠ Skin Irritation 2, H315; Sensitization - Skin 1, H317	
8008-26-2		≥0.1-<1%
	♦ Flammable Liquids 3, H226; ♦ Aspiration Hazard 1, H304; ♦ Skin Irritation 2, H315; Sensitization - Skin 1, H317	

4 First-aid measures

- · Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- · After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:

57-55-6 PROPYLENE GLYCOL

30 mg/m³

(Contd. on page 4)

Trade name: Sangria Flavor Extract

64 17 5	ETHYL ALCOHOL	(Contd. of page
		1,800 ppm
	BENZALDEHYDE	4 ppm
123-51-3	AMYL ALCOHOL	125 ppm
141-78-6	ETHYL ACETATE	1,200 ppn
105-37-3	ETHYL PROPIONATE	6.3 ppm
· <i>PAC-2</i> :		
57-55-6	PROPYLENE GLYCOL	1,300 mg/m
64-17-5	ETHYL ALCOHOL	3300* ppm
100-52-7	BENZALDEHYDE	43 mg/m3
123-51-3	AMYL ALCOHOL	1700* ppm
141-78-6	ETHYL ACETATE	1,700 ppm
105-37-3	ETHYL PROPIONATE	69 ppm
· <i>PAC-3</i> :		
57-55-6	PROPYLENE GLYCOL	$7,900 \text{ mg/m}^3$
64-17-5	ETHYL ALCOHOL	15000* ppm
100-52-7	BENZALDEHYDE	260 mg/m3
123-51-3	AMYL ALCOHOL	10000** ppn
141-78-6	ETHYL ACETATE	10000** ppn
105-37-3	ETHYL PROPIONATE	410 ppm

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Store in a cool location.

Store in a tightly sealed containers in a cool, dry place that is well ventilated. Away from heat, spark, and open flame.

- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

(Contd. on page 5)

Trade name: Sangria Flavor Extract

(Contd. of page 4)

· Control parameters

· Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

	T		
57-55-	57-55-6 PROPYLENE GLYCOL		
WEEL	WEEL Long-term value: 10 mg/m³		
64-17-	5 ETHYL ALCOHOL		
PEL	Long-term value: 1900 mg/m³, 1000 ppm		
REL	Long-term value: 1900 mg/m³, 1000 ppm		
TLV	TLV Short-term value: 1000 ppm		
	A3		

- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

Trade name: Sangria Flavor Extract

(Contd. of page 5)

Information on basic physical and c	hemical properties
General Information	
Appearance:	
Form:	Liquid
Color:	According to product specification
Odor: Odor threshold:	Characteristic Not determined.
pH-value:	Not determined.
Change in condition	Undatamaja ad
Melting point/Melting range: Boiling point/Boiling range:	Undetermined. Undetermined.
Flash point:	20 °C (68 °F)
Flammability:	Highly flammable.
Auto igniting:	371 °C (699.8 °F)
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vap mixtures are possible.
Explosion limits:	
Lower:	2.6 Vol %
Upper:	15 Vol %
Vapor pressure at 20 °C (68 °F):	59 hPa (44.3 mm Hg)
Density at 20 °C (68 °F):	0.86299 g/cm³ (7.20165 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible.
Partition coefficient (n-octanol/wate	r): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	00.50/
Organic solvents:	89.5 % 7.5 %
Water:	7.5 %
VOC content:	89.49 % 772.3 g/l / 6.44 lb/gal
C.P.L	0.7%
Solids content:	17.7.70

Trade name: Sangria Flavor Extract

(Contd. of page 6)

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50	· LD/LC50 values that are relevant for classification:			
ATE (Acı	ATE (Acute Toxicity Estimate)			
Oral	LD50	4,327 mg/kg (rat)		
57-55-6 F	PROPYLE	NE GLYCOL		
Oral	LD50	2,000 mg/kg (rat)		
Dermal	LD50	20,800 mg/kg (rabbit)		

64-17-5 ETHYL ALCOHOL

 Oral
 LD50
 7,060 mg/kg (rat)

 Inhalative
 LC50/4 h
 20,000 mg/l (rat)

- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: Sensitization possible through skin contact.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

Ethyl alcohol causes cancer when used in alcoholic beverages per IARC guidelines.

64-17-5 ETHYL ALCOHOL

1

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.

(Contd. on page 8)

Trade name: Sangria Flavor Extract

(Contd. of page 7)

- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

1 / 7				. •
I A I	ranspor	11017	าษพกกา	TON
17 I.	unspor	, uu	muuu	uvu

TIN	J	Vum	hou
 1//	V-/'	vum	ner

· DOT, IMDG, IATA

UN1197

· UN proper shipping name

DOT Extracts, flavoring, liquid
 IMDG EXTRACTS, LIQUID
 LATA Extracts, liquid

- · Transport hazard class(es)
- $\cdot DOT$



· Class

3 Flammable liquids

· Label

· IMDG, IATA



· Class · Label 3 Flammable liquids

3

· Packing group

· DOT, IMDG, IATA

II

• Environmental hazards: Not applicable.

· Special precautions for user Warning: Flammable liquids

Hazard identification number (Kemler code): 33

(Contd. on page 9)

Trade name: Sangria Flavor Extract

	(Contd. of pag
· EMS Number:	F-E,S-D
· Stowage Category	B
· Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· DOT	
Quantity limitations	On passenger aircraft/rail: 5 L
2 .	On cargo aircraft only: 60 L
· IMDG	
Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1197 EXTRACTS, LIQUID, 3, II

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

- · TSCA (Toxic Substances Control Act): All substances are active or exempt.
- · Hazardous Air Pollutants

None of the ingredients is listed.

- · Proposition 65
- · Chemicals known to cause cancer:

Ethyl alcohol causes cancer when used in alcoholic beverages per OEHHA guidelines.

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

64-17-5 ETHYL ALCOHOL

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

64-17-5 ETHYL ALCOHOL

A3

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

(Contd. on page 10)

Trade name: Sangria Flavor Extract

(Contd. of page 9)

- National regulations:
- · Additional classification according to Decree on Hazardous Materials:

Carcinogenic hazardous material group III (dangerous).

· Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Flammable Liquids 2: Flammable liquids – Category 2

Flammable Liquids 3: Flammable liquids - Category 3

Acute Toxicity - Oral 4: Acute toxicity - Category 4 Skin Irritation 2: Skin corrosion/irritation – Category 2

Sensitization - Skin 1: Skin sensitisation - Category 1

Carcinogenicity 1A: Carcinogenicity – Category 1A

Aspiration Hazard 1: Aspiration hazard - Category 1

* Data compared to the previous version altered.