

# SAFETY DATA SHEET

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY

## **1.1 Product Identifier**

PRODUCT NAME:	PURE VANILLA BEAN EXTRACT
PRODUCT SKU:	AANO
PRODUCT CODE:	VPBR1X
SUPPLIER:	OliveNation LLC
ADDRESS:	13 Robbie Road #A4, Avon, MA 02322

## 1.2 Relevant identified uses of the substance and unadvised uses

Recommended Use	Food and beverage flavoring
Unadvised Uses	Direct consumption as beverage; Cosmetic

#### 1.3 Details of the supplier of the safety data sheet

For further information, please contact Email: <u>support@olivenation.com</u>

#### 1.4 Emergency Telephone Number

Emergency Telephone: Chemtrec 1-800-424-9300 for US/ 703-527-3887 Outside US

## **SECTION 2: HAZARDS IDENTIFICATION**

## 2.1 Classification of the substance or mixture



Flammable Liquid: 3 H226 Flammable liquid and vapor.



Skin Irritation: 2 H315 Causes skin irritation. STOT SE: 3 H335 May cause respiratory irritation. Eye Irritation: 2B H320 Causes eye irritation.

## 2.2 Label Elements

<u>GHS Label Elements</u> The product is classified and labeled according to the Globally Harmonized System (GHS)

## Hazard Pictograms



Signal Word Warning

Hazard-determining Components of Labelling Ethyl Alcohol, also known as Ethanol

Hazard Statements

H226- Flammable liquid and vapor H315 + H320- Causes skin and eye irritation H335- May cause respiratory irritation H402-Harmful to aquatic life

# **Precautionary Statements**

P210- Keep away from heat/sparks/open flames/ hot surfaces. No smoking.

P233- Keep container tightly closed.

P235- Keep cool.

P241- Use explosion-proof electrical/ventilating/lighting/equipment.

P240- Ground/bond receiving container and receiving equipment.

P242-Use only non-sparking tools.

P243- Take precautionary measures against static discharge.

P260 + P261- Avoid breathing dust/fume/gas/mist/vapors/spray.

P264- Wash thoroughly after handling.

P271- Use only outdoors or in well-ventilated area.

P281- Wear protective gloves/eye protection/face protection.

## Specific treatment

P302 + 361 + P353- If ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304 + P340- IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305 + P351 + P338- If IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P311 + P309- Call a POISON CENTER/doctor if you feel unwell.

P332 + P313- If skin irritation occurs: Get medical advice/attention.

P337 + P313- If eye irritation persists: Get medical advice/attention.

P362- Take off contaminated clothing and wash it before reuse.

P370 + P378 – In case of fire: Use for extinction: CO2, powder or water spray or dry sand, dry chemical or alcohol-resistant foam for extinction.

P404 + P233- Store in a well-ventilated place. Keep container tightly closed.

P404 + P235- Store in a well-ventilated place. Keep cool.

P405- Store locked up.

P501- Dispose of contents/container in accordance with local/regional/national/international regulations.

Other Hazards None

Results of PBT and vPvB Assessment PBT: Not Applicable vPvB: Not Applicable

## **SECTION 3: COMPOSITION/ INFORMATION ON INGREDIENTS**

## **3.1 Chemical Characterization: Mixtures**

<u>Description</u> Mixture of the substances listed below with non-hazardous additions.

## **Dangerous Components**

CAS Number	EC Number	Name	Concentration
64-17-5	200-578-6	Ethyl Alcohol	32-38%
		Ethanol; Flammable Liquid 2, H225; Skin Irritation 2, H315; STOT SE 3, H335; Eye Irritation 2B, H320	

## **SECTION 4: FIRST AID MEASURES**

## 4.1 Description of first aid measures

#### After Eye contact

Rinse open eye thoroughly with plenty of water for at least 15 minutes and consult a physician.

## After Skin Contact

Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.

#### After Ingestion

Clean mouth with water and afterwards drink plenty of water.

#### After Inhalation

Move to fresh air. In case of unconsciousness, place patient stably in side position for transportation.

## 4.2 Most important symptoms and effects, both acute and delayed

<u>Symptoms of Ethyl Alcohol Overdose</u> Abdominal pain. Confusion, slurred speech. Internal (stomach and intestinal) bleeding. Slowed breathing. Stupor (decreased level of alertness), even coma. Unsteady walking. Vomiting, sometimes bloody. Chronic alcohol overuse can lead to additional symptoms and multiple organ failure.

# 4.3 Indication of any immediate medical attention and special treatment needed

Seek immediate medical attention if any of the above symptoms are present.

Note to physicians Treat symptomatically

# **SECTION 5: FIRE-FIGHTING MEASURES**

## 5.1 Extinguishing media

<u>Suitable Extinguishing Media</u> CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

## 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

## 5.3 Advice for firefighters

No special measures required.

# SECTION 6: ACCIDENTAL RELEASE MEASURES

## 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment including long pants, gloves, and closed toe shoes. Keep unprotected persons away.

## 6.2 Environmental precautions

Dilute with plenty of water. Do not allow to enter sewers, surface or ground water.

## 6.3 Methods and material for containment and cleaning up

Soak up with inert absorbent material e.g., sand, silica gel, acid binder, universal binder, sawdust)

# 6.4 Reference to other sections

See Section 7 for information on safe handling. See section 8 for information on personal protection equipment. See section 13 for disposal information.

# SECTION 7: HANDLING AND STORAGE

## 7.1 Precautions for safe handling

<u>Precautions for Safe Handling</u> Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

Information About Protection Against Explosions and Fire Keep ignition sources away. Do not smoke. Protect from heat. Protect against electrostatic charges.

# 7.2 Conditions for safe storage, including any incompatibilities

#### Requirements to be Met by Storerooms and Receptacles

Store in tightly sealed containers in a cool, dry place that is well ventilated. Away from heat, spark, and open flame.

Information About Storage in One Common Storage Facility Not required.

Further Information About Storage Conditions Keep receptacle tightly sealed. Protect from heat and direct sunlight.

Specific End Uses

As a flavoring agent. Not to be used as a cosmetic.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters

Components with Limit Values that Require Monitoring at the Workplace:

Ethyl Alcohol 64-17-5			
PEL	Long-term value:	1900 mg/m <sup>3</sup>	1000 ppm
REL	Long-term value:	1900 mg/m <sup>3</sup>	1000 ppm
TLV	Short-term value:	1880 mg/m <sup>3</sup>	1000 ppm
Benzaldehyde 100-52-7			
TWA			2 ppm
STEL			4 ppm

## 8.2 Exposure controls

Engineering Controls Ventilation: Local Exhaust - if heated Special - N/A Mechanical (General) – Recommended Other – N/A

 Personal Protective Equipment

 Eye Protection

 Tightly fitting safety goggles.

 Hand Protection

 Protective gloves with material impermeable and resistant to the product such as rubber or neoprene.

 Skin and Body Protection

 Long sleeved shirt, long pants, and closed toed shoes.

 Respiratory Protection

 When workers are facing concentrations above the exposure limit, they must use appropriate certified respirators.

 General Hygiene Considerations

 Keep away from foodstuffs, beverages, and feed.

 Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work. Avoid contact with eyes and skin. Handle in accordance with good industrial hygiene and safety practice.

#### Environmental Exposure Controls No information available

# SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties

Physical state Odor	Liquid Vanilla	
Property pH Melting/freezing point Boiling point/boiling range Flash point (closed cup) Evaporation rate Flammability(solid/gas) Flammability limits in air Upper flammability limit Lower flammability limit Lower flammability limit Vapor pressure mm Hg 20°C Vapor density Relative density Specific gravity @ 25°C Specific gravity @ 25°C Specific gravity @ 20°C Refractive index Water solubility Partition coefficient: n-octanol/v Autoignition temperature Decomposition temperature Viscosity, dynamic		No Information available No Information available No information available 26°C No information available No information available

Explosive properties Oxidizing properties

# 9.2 Other information

VOC Content (%) Molecular weight 35% No information available

No information available

No information available

#### SECTION 10: STABILITY AND REACTIVITY

#### 10.1 Reactivity

The product is non-reactive.

#### **10.2 Chemical Stability**

The product is stable under normal pressures and temperatures.

#### **10.3 Possibility of Hazardous Reactions**

No known hazardous reactions.

## 10.4 Conditions to Avoid

Heat, flames, and sparks

#### **10.5 Incompatible Material**

No materials to be especially mentioned

#### **10.5 Hazardous Decomposition Products**

None under normal use conditions

# **SECTION 11: TOXICOLOGY INFORMATION**

#### 11.1 Information of toxicological effects

The following values are calculated based on chapter 3.1 of the GHS document (Rev. 1, 2005)

Acute toxicity Inhalation Eye contact Skin contact Ingestion	There is no data available for this product There is no data available for this product Irritating effect Irritant to skin and mucous membranes Symptoms include: Abdominal pain. Confusion, slurred speech. Internal (stomach and intestinal) bleeding. Slowed breathing. Stupor (decreased level of alertness), even coma. Unsteady walking. Vomiting, sometimes bloody.
Acute toxicity	Chronic alcohol overuse can lead to multiple organ failure. 100%of the mixture consists of ingredient(s) of unknown toxicity
11.2 Inhalation	
Skin corrosion/irritation Eye damage/irritation Sensitization Germ Cell Mutagenicity Carcinogenicity	No information available No information available No information available No information available No information available
Specific target organ systemic toxicity (single exposure)	No information available
Specific target organ systemic toxicity (repeated exposure)	No information available
Target Organ Effects	Blood, Central nervous system, Eyes, Liver, Reproductive system, Respiratory system, Skin
Aspiration hazard	No information available

# 11.3 Carcinogen Reports

IARC (International Agency for Research on Cancer): 64-17-5 Ethyl Alcohol NTP (National Toxicology Program): No ingredients listed. OSHA-Ca (Occupational Safety and health Administration): No ingredients listed.

# **SECTION 12: ECOLOGICAL INFORMATION**

## 12.1 Ecotoxicity:

Contains no substances known to be hazardous to the environment or not degradable in waste water treatment plants

#### **12.2 Persistence and Degradability**

No information available

## **12.3 Bioaccumulative Potential**

No information available

## 12.4 Mobility in Soil

No information available

#### 12.5 Results of PBT and vPvB

No information available

#### 12.6 Other Adverse Effects

No information available

## SECTION 13: DISPOSAL CONSIDERATIONS

#### 13.1 Waste Treatment Methods:

**Waste from residues/ unused products**: Waste must be disposed of in accordance with federal, state and local environmental control regulations.

**Contaminated Packaging:** Empty containers should be taken to an approved waste handling site for recycling or disposal

Recommended Cleansing Agent: Water, if necessary, with cleansing agents.

## **SECTION 14: TRANSPORT INFORMATION**

<u>UN Number</u> DOT, ADR, IMDG, IATA	UN:1197 PG: III
<u>UN Proper Shipping Name</u> DOT ADR IMDG, IATA	Extracts, Flavoring, Liquid 1197 Extracts, Flavoring, Liquid EXTRACTS, FLAVORING, LIQUID
Transport Hazard Class(es) DOT, ADR, IMDG, IATA Class	3 Flammable Liquids
Packing Group_ DOT, ADR, IMDG, IATA	III
<u>Environmental Hazards</u> Marine Pollutant;	No
Special Precautions for User	Warning, Flammable Liquid

# **SECTION 15: OTHER REGULATORY INFORMATION**

# Federal and State Regulations:

Special Remarks on the Products with ingredients which are included in **California Pro**p 65: The Requirement for Warning Labels only applies to products that are considered a beverage. All non beverage products, which include Extracts for Flavoring Purposes DO NOT NEED WARNING LABELS. California Prop 65: This product contains the following ingredients for which the State of California has found to cause cancer, birth defects or other reproductive harm, which would require a warning statute: Ethyl Alcohol 190 Proof California prop 65: This product contains the following ingredients for which the State of California has found to cause birth defects which would require a warning under the statute: Ethyl Alcohol 190 Proof California prop. 65: This product contains the following ingredients for which the State of California has found to cause birth defects which would require a warning under the statute: Ethyl Alcohol 190 Proof California prop. 65: This product contains the following ingredients for which the State of California has found to cause cancer which would require a warning under the statute: Ethyl Alcohol 190 Proof California prop. 65: This product contains the following ingredients for which the State of California has found to cause cancer which would require a warning under the statute. Ethyl Alcohol 190 Proof Rhode Island RTK hazardous substances: Ethyl Alcohol 190 Proof Pennsylvania RTK: Ethyl Alcohol 190 Proof Florida: Ethyl Alcohol 190 Proof Massachusetts RTK Ethyl Alcohol 190 Proof New jersey: Ethyl Alcohol 190 Proof TSCA 8(b) inventory: Ethyl Alcohol 200 proof.

Other regulations: OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200).

WHMIS (Canada): Class B-2: Flammable liquid with a flash point lower than 37.8 deg C (100 deg F)

DSCL (EEC): R11Highly Flammable. S2-Keep out of reach of children

HMIS (USA):

Health Hazard: 2 Fire Hazard: 3 Reactivity: 0 Personal Protection: H

National Fire Protections Association (USA): Health: 0 Flammability: 3 reactivity: 0 Specific Hazard: None

Protective Equipment:

Gloves. Lab coat. Vapor respirator. Be sure to use an approved/certified respirator or equivalent. Wear appropriate respirator when ventilation is inadequate. Splash goggles.

# **SECTION 16: OTHER INFORMATION**

#### References: Not available

Warning/Disclaimer: The ingredient(s) has not been tested, nor has it been deemed safe, for inhalation or use in electronic smoking devices, electronic nicotine delivery systems, electronic cigarettes or other similar devices (collectively "E-cigarettes").

In supplying this ingredient, OliveNation LLC instructs and by receiving this ingredient recipient confirms, that this ingredient will not be used in connection with the manufacture and distribution of E-cigarettes or any component thereof.

The information in this SDS is believed to be accurate and represents the best information currently available to us. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text. We make no warranty of merchantability or any other warranty expressed or implied, with respect to such information, we assume no liability resulting from its use. Users should make their own investigation to determine suitability of the information for their particular purposes. In no event shall OliveNation LLC be liable for any claims, losses or damages of any third party or for lost profits or any special, indirect, incidental, consequential, or exemplary damages, howsoever arising, even if OliveNation LLC has been advised of the possibility of such damages.