Safety Data Sheet
acc. to OSHA HCS

1 Identification

· **Product identifier**

· **Trade name:** **BOYSENBERRY FLAVOR - TTB, NATURAL**

· **Other means of identification**

· **Article number:** AALR

· **Details of the supplier of the safety data sheet**
· **Manufacturer/Supplier:**
OliveNation LLLC
13 Robbie Road A4
Avon, MA 02322
USA
617-580-3667

· **Information department:** Regulatory Department
· **Emergency telephone number:**
24/7/365 Response: Call ChemTel 1-800-255-3924

*

2 Hazard(s) identification

· **Classification of the substance or mixture**



GHS08 Health hazard

Carcinogenicity 1A H350 May cause cancer.



GHS07

Acute toxicity - oral 4 H302 Harmful if swallowed.
Sensitization - skin 1 H317 May cause an allergic skin reaction.

Flammable liquids 4 H227 Combustible liquid.

· **Label elements**
· **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
· **Hazard pictograms**




GHS07 GHS08

· **Signal word** Danger

· **Hazard-determining components of labeling:**
Propylene glycol
ETHYL ALCOHOL
RASPBERRY KETONE
MALTOL
METHYL CINNAMATE
· **Hazard statements**
Combustible liquid.
Harmful if swallowed.
May cause an allergic skin reaction.

(Contd. on page 2)

Safety Data Sheet
acc. to OSHA HCS

Trade name: BOYSENBERRY FLAVOR - TTB, NATURAL (AALR)

(Contd. of page 1)

May cause cancer.

· ***Precautionary statements***

Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Avoid breathing dust/fume/gas/mist/vapors/spray
Wash thoroughly after handling.
Do not eat, drink or smoke when using this product.
Contaminated work clothing must not be allowed out of the workplace.
Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
If swallowed: Call a poison center/doctor if you feel unwell.
Rinse mouth.
If on skin: Wash with plenty of water.
IF exposed or concerned: Get medical advice/attention.
Specific treatment (see on this label).
Take off contaminated clothing and wash it before reuse.
If skin irritation or rash occurs: Get medical advice/attention.
In case of fire: Use CO2, powder or water spray to extinguish.
Store in a well-ventilated place.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.

· ***Information pertaining to particular dangers for man and environment:***

· ***Classification system:***

· ***NFPA ratings (scale 0 - 4)***



Health = 1
Fire = 2
Reactivity = 0

· ***HMIS-ratings (scale 0 - 4)***



*Health = *1*
Fire = 2
Reactivity = 0

· ***Other hazards***

· ***Results of PBT and vPvB assessment***

· ***PBT:*** *Not applicable.*

· ***vPvB:*** *Not applicable.*

· ***Classification according to (d)(1)(ii) of § 1910.1200***

The SDS issuer does not object to the classifications provided by importers or manufacturers of precursor products.

· ***Hazards not otherwise classified***

There are no adverse physical or health effects known that are not covered by the hazard classes of the Hazard Communications Standard.

3 Composition/information on ingredients

· ***Chemical characterization: Mixtures***

· ***Description:*** *Mixture of the substances listed below with nonhazardous additions.*

(Contd. on page 3)

Safety Data Sheet
acc. to OSHA HCS

Trade name: BOYSENBERRY FLAVOR - TTB, NATURAL (AALR)

(Contd. of page 2)

· **Dangerous components:**

57-55-6	Propylene glycol Acute toxicity - oral 4, H302	>50-≤100%
64-17-5	ETHYL ALCOHOL Flammable liquids 2, H225; Carcinogenicity 1A, H350	≥0.1-≤2.5%
118-71-8	MALTOL Acute toxicity - oral 4, H302	≤2.5%
5471-51-2	RASPBERRY KETONE Acute toxicity - oral 3, H301	≤2.5%
103-26-4	METHYL CINNAMATE Sensitization - skin 1, H317	≥0.1-<1%

*
4 First-aid measures

· **Description of first aid measures**
· **General information:**
Immediately remove any clothing soiled by the product.
Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
· **After inhalation:**
Supply fresh air and to be sure call for a doctor.
In case of unconsciousness place patient stably in side position for transportation.
· **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
· **After eye contact:** Rinse opened eye for several minutes under running water.
· **After swallowing:** Immediately call a doctor.
· **Most important symptoms and effects, both acute and delayed** No further relevant information available.
· **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

· **Extinguishing media**
· **Suitable extinguishing agents:**
CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
· **Special hazards arising from the substance or mixture** No further relevant information available.
· **Advice for firefighters**
· **Protective equipment:** No special measures required.

*
6 Accidental release measures

· **Personal precautions, protective equipment and emergency procedures** Not required.
· **Environmental precautions:**
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
· **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to section 13.
Ensure adequate ventilation.

(Contd. on page 4)

Safety Data Sheet
acc. to OSHA HCS

Trade name: BOYSENBERRY FLAVOR - TTB, NATURAL (AALR)

(Contd. of page 3)

· **Protective Action Criteria for Chemicals**

· **PAC-1:**		
57-55-6	Propylene glycol	30 mg/m³
64-17-5	ETHYL ALCOHOL	1,800 ppm
141-78-6	ETHYL ACETATE	1,200 ppm
110-19-0	ISOBUTYL ACETATE	450 ppm
140-11-4	BENZYL ACETATE	30 ppm
100-52-7	BENZALDEHYDE	4 ppm
71-43-2	BENZENE	52 ppm
108-88-3	TOLUENE	67 ppm

· **PAC-2:**		
57-55-6	Propylene glycol	1,300 mg/m³
64-17-5	ETHYL ALCOHOL	3300* ppm
141-78-6	ETHYL ACETATE	1,700 ppm
110-19-0	ISOBUTYL ACETATE	1300* ppm
140-11-4	BENZYL ACETATE	330 ppm
100-52-7	BENZALDEHYDE	43 mg/m3
71-43-2	BENZENE	800 ppm
108-88-3	TOLUENE	560 ppm

· **PAC-3:**		
57-55-6	Propylene glycol	7,900 mg/m³
64-17-5	ETHYL ALCOHOL	15000* ppm
141-78-6	ETHYL ACETATE	10000** ppm
110-19-0	ISOBUTYL ACETATE	7500** ppm
140-11-4	BENZYL ACETATE	2,000 ppm
100-52-7	BENZALDEHYDE	260 mg/m3
71-43-2	BENZENE	4000* ppm
108-88-3	TOLUENE	3700 ppm

· **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

*
7 Handling and storage

· **Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Open and handle receptacle with care.
Prevent formation of aerosols.
· **Information about protection against explosions and fires:** Keep respiratory protective device available.

· **Conditions for safe storage, including any incompatibilities**
· **Storage:**
· **Requirements to be met by storerooms and receptacles:**
Store in a tightly sealed containers in a cool, dry place that is well ventilated. Away from heat, spark, and open flame.
· **Information about storage in one common storage facility:** Not required.

(Contd. on page 5)

Safety Data Sheet
acc. to OSHA HCS

Trade name: BOYSENBERRY FLAVOR - TTB, NATURAL (AALR)

(Contd. of page 4)

· **Further information about storage conditions:** Keep receptacle tightly sealed.
· **Specific end use(s)** No further relevant information available.

*
8 Exposure controls/personal protection

· **Control parameters**
· **Components with limit values that require monitoring at the workplace:**
The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.
At this time, the other constituents have no known exposure limits.

57-55-6 Propylene glycol	
WEEL	Long-term value: 10 mg/m³
64-17-5 ETHYL ALCOHOL	
PEL	Long-term value: 1900 mg/m³, 1000 ppm
REL	Long-term value: 1900 mg/m³, 1000 ppm
TLV	Short-term value: 1880 mg/m³, 1000 ppm A3

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Exposure controls**
· **Appropriate engineering controls** No further data; see section 7.
· **Personal protective equipment:**
· **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Store protective clothing separately.
· **Breathing equipment:**
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
· **Material of gloves**
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
· **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 6)

Safety Data Sheet
acc. to OSHA HCS

Trade name: BOYSENBERRY FLAVOR - TTB, NATURAL (AALR)

(Contd. of page 5)

· **Eye protection:**



Tightly sealed goggles

*

9 Physical and chemical properties

· **Information on basic physical and chemical properties**	
· **General Information**	
· **Physical state**	Liquid
· **Color:**	According to product specification
· **Odor:**	Characteristic
· **Odor threshold:**	Not determined.
· **Melting point/Melting range:**	Undetermined.
· **Boiling point/Boiling range:**	Undetermined.
· **Flammability:**	Not applicable.
· **Explosion limits:**	
· **Lower:**	2.6 Vol %
· **Upper:**	12.6 Vol %
· **Flash point:**	83.3 °C (181.9 °F)
· **Auto igniting:**	371 °C (699.8 °F)
· **Decomposition temperature:**	Not determined.
· **pH-value:**	Not determined.
· **Viscosity:**	
· **Kinematic:**	Not determined.
· **Dynamic:**	Not determined.
· **Solubility in / Miscibility with**	
· **Water:**	Fully miscible.
· **Partition coefficient (n-octanol/water):**	Not determined.
· **Vapor pressure at 20 °C (68 °F):**	0.1 hPa
· **Vapor pressure:**	
· **Density at 20 °C (68 °F):**	1.03398 g/cm³ (8.62856 lbs/gal)
· **Relative density**	Not determined.
· **Vapor density**	Not determined.
· **Particle characteristics**	Not applicable.

· **Other information**	
· **Appearance:**	
· **Form:**	Fluid
· **Important information on protection of health and environment, and on safety.**	
· **Ignition temperature:**	Product is not selfigniting.
· **Danger of explosion:**	Not determined.
· **Solvent content:**	
· **Organic solvents:**	95.8 %
· **Water:**	0.1 %
· **VOC content:**	95.80 % 990.6 g/l / 8.27 lb/gal
· **Solids content:**	3.3 %

(Contd. on page 7)

Safety Data Sheet
acc. to OSHA HCS

Trade name: BOYSENBERRY FLAVOR - TTB, NATURAL (AALR)

(Contd. of page 6)

· **Change in condition**
· **Evaporation rate** Not determined.

10 Stability and reactivity

· **Reactivity** No further relevant information available.
· **Chemical stability**
· **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
· **Possibility of hazardous reactions** No dangerous reactions known.
· **Conditions to avoid** No further relevant information available.
· **Incompatible materials:** No further relevant information available.
· **Hazardous decomposition products:** No dangerous decomposition products known.

*
11 Toxicological information

· **Information on toxicological effects**
· **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**		
ATE (Acute Toxicity Estimate)		
Oral	LD50	1,722 mg/kg

57-55-6 Propylene glycol		
Oral	LD50	2,000 mg/kg (rat)
Dermal	LD50	20,800 mg/kg (rabbit)
64-17-5 ETHYL ALCOHOL		
Oral	LD50	7,060 mg/kg (rat)
Inhalative	LC50/4 h	20,000 mg/l (rat)
118-71-8 MALTOL		
Oral	LD50	1,410 mg/kg (rat)
103-26-4 METHYL CINNAMATE		
Oral	LD50	2,610 mg/kg (rat)

· **Primary irritant effect:**
· **on the skin:** No irritant effect.
· **on the eye:** No irritating effect.
· **Sensitization:** Sensitization possible through skin contact.
· **Additional toxicological information:**
The product shows the following dangers according to internally approved calculation methods for preparations:
Harmful
Irritant
· **Interactive effects** No interactive effects between components are known.

· **Carcinogenic categories**
· **IARC (International Agency for Research on Cancer)**
Ethyl alcohol causes cancer when used in alcoholic beverages per IARC guidelines.

64-17-5	ETHYL ALCOHOL	1
140-11-4	BENZYL ACETATE	3
71-43-2	BENZENE	1

(Contd. on page 8)

Safety Data Sheet
acc. to OSHA HCS

Trade name: BOYSENBERRY FLAVOR - TTB, NATURAL (AALR)

(Contd. of page 7)

108-88-3	TOLUENE	3

· **NTP (National Toxicology Program)**

71-43-2	BENZENE	K

· **OSHA-Ca (Occupational Safety & Health Administration)**

71-43-2	BENZENE

· **Alternative sources for toxicological information**
No non-standard sources for toxicological information where used.

12 Ecological information

· **Toxicity**
· **Aquatic toxicity:** No further relevant information available.
· **Persistence and degradability** No further relevant information available.
· **Bioaccumulative potential** No further relevant information available.
· **Mobility in soil** No further relevant information available.
· **Results of PBT and vPvB assessment**
· **PBT:** Not applicable.
· **vPvB:** Not applicable.
· **Other adverse effects**
· **Additional ecological information:**
· **General notes:**
Water hazard class 1 (Self-assessment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

13 Disposal considerations

· **Waste treatment methods**
· **Recommendation:**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· **Uncleaned packagings:**
· **Recommendation:** Disposal must be made according to official regulations.
· **Recommended cleansing agent:** Water, if necessary with cleansing agents.

*

14 Transport information

· **UN-Number**
· **DOT, IMDG, IATA** not regulated

· **UN proper shipping name**
· **DOT, IMDG, IATA** not regulated

· **Transport hazard class(es)**

· **DOT, ADN, IMDG, IATA**
· **Class** not regulated

· **Packing group**
· **DOT, IMDG, IATA** not regulated

(Contd. on page 9)

Safety Data Sheet
acc. to OSHA HCS

Trade name: BOYSENBERRY FLAVOR - TTB, NATURAL (AALR)

(Contd. of page 8)

· **Environmental hazards:**	Not applicable.
· **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**	Not applicable.
· **Special precautions for user**	Not applicable.
· **UN "Model Regulation":**	not regulated

*
15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**
· **Sara**

· **Section 355 (extremely hazardous substances):**
None of the ingredients is listed.

· **Section 313 (Specific toxic chemical listings):**

71-43-2	BENZENE
108-88-3	TOLUENE

· **TSCA (Toxic Substances Control Act):** All substances are active or exempt.

· **Hazardous Air Pollutants**

71-43-2	BENZENE
108-88-3	TOLUENE

· **Proposition 65**
· **Chemicals known to cause cancer:**
Ethyl alcohol causes cancer when used in alcoholic beverages per OEHHA guidelines.

71-43-2	BENZENE

· **Chemicals known to cause reproductive toxicity for females:**
None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

71-43-2	BENZENE

· **Chemicals known to cause developmental toxicity:**

71-43-2	BENZENE
108-88-3	TOLUENE

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

71-43-2	BENZENE	A, K/L
108-88-3	TOLUENE	II

· **TLV (Threshold Limit Value)**

64-17-5	ETHYL ALCOHOL	A3
140-11-4	BENZYL ACETATE	A4
71-43-2	BENZENE	A1
108-88-3	TOLUENE	A4

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

71-43-2	BENZENE

(Contd. on page 10)

Safety Data Sheet
acc. to OSHA HCS

Trade name: BOYSENBERRY FLAVOR - TTB, NATURAL (AALR)

(Contd. of page 9)

· **National regulations:**
· **Additional classification according to Decree on Hazardous Materials:**
Carcinogenic hazardous material group III (dangerous).

· **Information about limitation of use:**
Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation.
Exceptions can be made by the authorities in certain cases.
· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing SDS:** Regulatory Department
· **Abbreviations and acronyms:**
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
VOC: Volatile Organic Compounds (USA, EU)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
Flammable liquids 2: Flammable liquids – Category 2
Flammable liquids 4: Flammable liquids – Category 4
Acute toxicity - oral 3: Acute toxicity – Category 3
Acute toxicity - oral 4: Acute toxicity – Category 4
Sensitization - skin 1: Skin sensitisation – Category 1
Carcinogenicity 1A: Carcinogenicity – Category 1A
· **** Data compared to the previous version altered.***